
## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

HERETOFORE APPROPRIATED
Date of filing in State Engineer's Office FEB 21 1997
Returned to applicant for correction
Corrected application filed
Map filed
********  The applicant Merl F. Stewart, hereby make application for permission to change the place and manner of use of a portion of water heretofore appropriated under Permit 56742, Certificate 14187
****
1. The source of water is <b>Underground</b>
2. The amount of water to be changed 2.24 acre - feet .0098 c.f.s
3. The water to be used for Quasi-Municipal & Domestic
4. The water heretofore permitted for Commercial & Domestic
5. The water is to be diverted at the following point Same as 56742 SW% NW% Section 36, T.16N., R.19E., M.D.B.&M., or at a point from which the W% corner of said Section 36 bears S.50°00'W., a distance of 1220.00 feet.
6. The existing permitted point of diversion is located within ${f N/A}$
7. Proposed place of use 40 acre description and parcel no. Washoe County APN Assessor Parcel No. 055-320-49 W½ NW½ and the NE½ NW½ Section 36, T.16N., R.19E., M.D.B.&M.
8. Existing place of use Same as 56742
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from " to " of each year.
11. Description of proposed works Same as 56742
12. Estimated cost of works \$5,000.00
13. Estimated time required to construct works 1 year
14. Estimated time required to complete the application of water to beneficial use <b>5 year</b>
15. Remarks: For 1 lot created by <u>paarcelling</u> which will reduce the amount of water necessary for Commercial Use under permit 56742, Certificate 14187. Refer to map filed under 56742, Certificate 14187.
By Merl F. Stewart s/ Merl F. Stewart 300 Duck Hill Road Carson City, NV 89704
Compared nsr/jr
Protested



\*\*\*\*\*

## OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: